

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	343	(monitor\$4 near2 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L2	11	L1 and (window\$1 near3 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L3	31	L1 and (window\$1 with (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L4	2	L1 and (persistent near2 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L5	38	L1 and (multiple near2 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L6	30	L5 and window\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L7	180	window\$1 near2 (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L8	209	multiple adj (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L9	7	L8 and (data adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L10	20	L8 and quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L11	14	L10 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L12	491	multiple near3 (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L13	35	L12 and (geographical or weather)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L14	24	L13 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L15	22	L14 and ((data near3 (calculate or comput \$4)) or statistic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L16	11419	(time adj series) near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L17	2	L16 and (persistent adj quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L18	117	L16 and (quer\$4 with (condition or limit\$4 or propt\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L19	26	L18 and (statistic\$1 with (computing or computation or comput \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L20	1	L19 and (display with window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L21	21	L19 and display\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L22	8	weather adj broadcast \$4 adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L23	0	L22 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L24	273	weather adj broadcast \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L25	8	L24 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L26	472	geographical adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L27	7	L26 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L28	2893	weather with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L29	72	L28 and (data with (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L30	62	L29 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L31	619	monitor\$4 near3 (time near2 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L32	62	L31 and register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L33	20	L31 and (stor\$4 with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L34	770233	"12" and windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L35	9	L33 and windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L36	1295	(time adj3 series) with (registers or (trigger adj3 registers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L37	15	L36 and ((time adj3 series) with windows)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L38	323	persistent adj3 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L39	6	L38 and (dynamic with window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L40	3	L39 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L41	15	L38 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L42	1	L38 and (trigger with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L43	0	L38 and (query with compilation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L44	20	L38 and (query with compilation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L45	2	"5519861".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L46	26355	707/1-5.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L47	113	L46 and (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L48	4	L46 and ((persistent adj3 query) same (time adj3 series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L49	4	L46 and ((persistent adj3 query) and (time adj3 series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L50	72	L47 and ((time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L51	18	L47 and ((persistent near2 query) same (time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L52	18	L47 and ((persistent near2 query) same (time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L53	2	"6654485".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L54	2	"20040220921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L55	610	persistent near3 quer \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L56	18	L55 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L57	59	(time adj3 series) with (moving near3 window \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L58	1	L57 and (persistent near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L59	1	(persistent near3 quer \$4) with event with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L60	21	(persistent near3 quer\$4) with (plural\$4 or multiple) with (data or information or event or payload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L61	4	L60 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L62	2	"6199062".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L63	30	(persistent near3 quer\$4) and (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L64	0	(persistent near3 quer\$4) with (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L65	18	(persistent adj3 quer\$4) and (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L66	1	L57 and (trigger with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L67	586	monitor\$4 near3 (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L68	3	L67 and (stor\$4 with (time adj3 series) with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L69	12	(convert\$4 or compil\$4 or transform\$4) with query with (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L70	7	query with string with time with series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L71	2	L67 and (persistent adj5 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L72	339	persistent adj3 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L73	15	L72 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L74	2	"20060080316"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L75	339	persistent adj3 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L76	3159676	(persistent adj3 quer\$4) convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L77	8	(persistent adj3 quer\$4) with convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L78	2	(persistent adj3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L79	3	(persistent adj3 quer\$4) with transform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L80	2	(persistent adj3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L81	5	(persistent near3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L82	3	"6505190".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L83	15	compil\$4 with quer\$4 with persistent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L84	2	compil\$4 with string\$1 with persistent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L85	11	(time adj3 series) with trigger with register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L86	15	compil\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L87	2	compil\$4 with persistent with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L88	74	compil\$4 with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L89	4	L88 and (persistent with quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L90	3	L88 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L91	0	compil\$4 with persistent with (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L92	1	(persistent adj3 quer \$4) with (event or condition) with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L93	1	(persistent adj3 quer \$4) with (event or condition) with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L94	31	(persistent adj3 quer \$4) with (event or condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L95	2	compil\$4 with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L96	14	string with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L97	0	input with (persistent adj3 quer\$4) with compil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L98	0	input with (persistent adj3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L99	8	input with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L100	73	compil\$4 with string with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L101	1	L100 and (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L102	2	L100 and (persistent near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L103	3	L100 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L104	6	L100 and (trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L105	27	transform\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L106	0	L105 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L107	21	convert\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L108	1	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L109	0	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L110	1	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L111	14	query with persistent with quer\$4 with compil \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L112	0	string with persistent with quer\$4 with extract \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L113	3	time with persistent with quer\$4 with extract \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L114	0	series with persistent with quer\$4 with extract \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L115	16	query with persistent with quer\$4 with extract \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L116	178	query\$4 with (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L117	5	L116 and (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L118	5	L116 and (persistent near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L119	8	L116 and (compil\$4 near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L120	0	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L121	2	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L122	1	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with term	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L123	45	(generat\$4 or creat\$4) with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L124	17	(generat\$4 or creat\$4) near3 (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L125	0	L123 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L126	0	L123 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L127	8	(convert\$4) with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L128	1	L127 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L129	32	(receiv\$4) with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00

L130	1	L128 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L131	2	L129 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L132	2	(compil\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L133	2	(populat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L134	3	(modify\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L135	0	L134 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:00
L136	30	(updat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:01
L137	1	L136 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:01
L138	12	(translat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:01
L139	0	L138 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:01

L140	8	(convert\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:01
L141	1	L140 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:01
L142	0	compil\$4 with query with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:01
L143	0	compil\$4 with query with event with condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/06/18 20:01
L144	4557	monitor\$4 with time with series	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:06
L145	1	144 and (register with ring with buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:06
L146	42	144 and (register with buffer)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:06
L147	2	146 and (register with window\$1 with point \$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:06
L148	11	146 and window\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:07
L149	3	146 and (window\$1 with (stat\$1 or statistic \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:08

L150	875	monitor\$4 near5 (time adj3 series)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:16
L151	33	150 and (window\$1 with (stat\$1 or statistic \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:16
L152	2	151 and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:16
L153	39	150 and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:18
L154	15403	data near5 (time adj3 series)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:19
L155	289	154 and (window\$1 with (stat\$1 or statistic \$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:19
L156	30	155 and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:19
L157	732	154 and query	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:20
L158	2	157 and (persistent near3 query)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:20
L159	1	154 and (query with condition with payload)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:20

L160	2	154 and (persistent near3 query)	US-PGPUB; USPAT; USOCR; FPFS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2009/06/18 20:21
S1	191	(monitor\$4 near2 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 15:54
S2	4	S1 and (window\$1 near3 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 15:55
S3	14	S1 and (window\$1 with (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:01
S4	2	S1 and (persistent near2 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:03
S5	11	S1 and (multiple near2 (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:05
S6	10	S5 and window\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:11
S7	109	window\$1 near2 (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/12 16:13
S8	116	multiple adj (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:27
S9	5	S8 and (data adj management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:27

S10	9	S8 and quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:28
S11	7	S10 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:30
S12	271	multiple near3 (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:30
S13	20	S12 and (geographical or weather)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:33
S14	16	S13 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 11:33
S15	15	S14 and ((data near3 (calculate or comput \$4)) or statistic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:16
S16	7552	(time adj series) near2 data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:17
S17	2	S16 and (persistent adj quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:17
S18	59	S16 and (quer\$4 with (condition or limit\$4 or proper\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:19
S19	15	S18 and (statistic\$1 with (computing or computation or comput \$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:21

S20	1	S19 and (display with window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:21
S21	11	S19 and display\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:54
S22	3	weather adj broadcast \$4 adj system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:55
S23	0	S22 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:54
S24	185	weather adj broadcast \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:55
S25	4	S24 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:56
S26	313	geographical adj database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:56
S27	4	S26 and (time adj series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:57
S28	1663	weather with database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 12:57
S29	36	S28 and (data with (time adj series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 13:01

S30	29	S29 and display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/06/15 13:01
S31	498	monitor\$4 near3 (time near2 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:16
S32	50	S31 and register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:17
S33	12	S31 and (stor\$4 with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:21
S34	668795	"12" and windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:21
S35	4	S33 and windows	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:30
S36	1225	(time adj3 series) with (registers or (trigger adj3 registers))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 11:31
S37	14	S36 and ((time adj3 series) with windows)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:05
S38	239	persistent adj3 query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:27
S39	5	S38 and (dynamic with window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:17

S40	3	S39 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:17
S41	13	S38 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 12:26
S42	1	S38 and (trigger with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 13:07
S43	0	S38 and (query with compilation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 13:28
S44	7	S38 and (query with compilation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:25
S45	2	"5519861".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:27
S46	19348	707/1-5.cds.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:27
S47	78	S46 and (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:27
S48	2	S46 and ((persistent adj3 query) same (time adj3 series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:31
S49	2	S46 and ((persistent adj3 query) and (time adj3 series))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:32

S50	47	S47 and ((time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:32
S51	7	S47 and ((persistent near2 query) same (time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:33
S52	7	S47 and ((persistent near2 query) same (time near3 (series or information or data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 14:33
S53	2	"6654485".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/03 16:34
S54	2	"20040220921"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/12/08 12:09
S55	486	persistent near3 quer \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:23
S56	15	S55 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:25
S57	56	(time adj3 series) with (moving near3 window \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:43
S58	1	S57 and (persistent near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:43
S59	1	(persistent near3 quer \$4) with event with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:46

S60	14	(persistent near3 quer\$4) with (plural\$4 or multiple) with (data or information or event or payload)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:47
S61	3	S60 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 11:47
S62	2	"6199062".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 12:01
S63	30	(persistent near3 quer\$4) and (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 12:03
S64	0	(persistent near3 quer\$4) with (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 12:09
S65	18	(persistent adj3 quer\$4) and (moving adj3 window\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 12:10
S66	1	S67 and (trigger with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:02
S67	503	monitor\$4 near3 (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:15
S68	2	S67 and (stor\$4 with (time adj3 series) with register\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 13:16
S69	12	(convert\$4 or compil\$4 or transform\$4) with query with (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:09

S70	6	query with string with time with series	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:11
S71	2	S67 and (persistent adj5 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/06/26 14:12
S72	261	persistent adj3 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 12:27
S73	14	S72 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 12:28
S74	2	"20060080316"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/01 12:37
S75	262	persistent adj3 quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:56
S76	2953352	(persistent adj3 quer\$4) convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:57
S77	8	(persistent adj3 quer\$4) with convert\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:57
S78	2	(persistent adj3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:58
S79	3	(persistent adj3 quer\$4) with transform\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 02:59

S80	2	(persistent adj3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:00
S81	5	(persistent near3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:01
S82	3	"6505190".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:04
S83	12	compil\$4 with quer\$4 with persistent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:05
S84	2	compil\$4 with string\$1 with persistent	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 03:06
S85	11	(time adj3 series) with trigger with register\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 04:24
S86	12	compil\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:01
S87	2	compil\$4 with persistent with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:03
S88	59	compil\$4 with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:04
S89	3	S88 and (persistent with quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:04

S90	2	S88 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:04
S91	0	compil\$4 with persistent with (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:06
S92	1	(persistent adj3 quer \$4) with (event or condition) with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:07
S93	1	(persistent adj3 quer \$4) with (event or condition) with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:07
S94	21	(persistent adj3 quer \$4) with (event or condition)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:08
S95	2	compil\$4 with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:09
S96	13	string with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:10
S97	0	input with (persistent adj3 quer\$4) with compil	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:10
S98	0	input with (persistent adj3 quer\$4) with compil\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:11
S99	8	input with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:11

S100	58	compil\$4 with string with query	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:12
S101	1	S100 and (persistent adj3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:12
S102	1	S100 and (persistent near3 query)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:12
S103	2	S100 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:12
S104	3	S100 and (trigger)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:13
S105	25	transform\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:42
S106	0	S105 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:42
S107	18	convert\$4 with persistent with quer\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:42
S108	1	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:42
S109	0	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:43

S110	1	convert\$4 with persistent with quer\$4 with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:43
S111	11	query with persistent with quer\$4 with compil \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:45
S112	0	string with persistent with quer\$4 with extract \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:48
S113	3	time with persistent with quer\$4 with extract \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:48
S114	0	series with persistent with quer\$4 with extract \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:49
S115	15	query with persistent with quer\$4 with extract \$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 05:49
S116	132	query\$4 with (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:05
S117	4	S116 and (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:06
S118	4	S116 and (persistent near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:06
S119	4	S116 and (compil\$4 near3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 06:06

S120	0	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:12
S121	2	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with string	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:13
S122	1	(generat\$4 or creat\$4) with (persistent adj3 quer\$4) with term	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:13
S123	37	(generat\$4 or creat\$4) with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:14
S124	13	(generat\$4 or creat\$4) near3 (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:14
S125	0	S123 and (time adj3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:14
S126	0	S123 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:14
S127	8	(convert\$4) with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
S128	1	S127 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
S129	27	(receiv\$4) with (persistent adj3 quer\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15

S130	1	S128 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
S131	1	S129 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:15
S132	2	(compil\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:16
S133	2	(populat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:16
S134	1	(modify\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:17
S135	0	S134 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:17
S136	27	(updat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:17
S137	1	S136 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:18
S138	8	(translat\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:18
S139	0	S138 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:18

S140	8	(convert\$4) with (persistent adj3 quer \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:19
S141	1	S140 and (time near3 series)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:19
S142	0	compil\$4 with query with payload	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:21
S143	0	compil\$4 with query with event with condition	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/07/07 07:22

6/ 18/ 2009 8:56:10 PM

C:\Documents and Settings\rmahmood\My Documents\EAST\Workspaces\10775744.wsp